



Shower door, recessed, 110 cm - hinged Moon



Manufacturer	
Weight	37.60 kg
Product Code	KTM_N13P
EAN	5907650810735
SKU	002899
IBB ID	11879

Product specification

Manufacturer	DEANTE	Unit	pcs
EAN	5907650810735	Active cover layer	YES
Additional characteristics	cool-out	Frame height adjustment [mm]	200
Aerator size	M28	Aerator type	coin-slot
Ceramic cartridge size	35 mm	Adjustment range from [mm]	700
Connection thread	m8	Adjustment range up to [mm]	20
Flow class [l/min]	z - 4-9 l/min	Material	ZnAl
Height [mm]	2000	Connection diameter	50
Glass finish	transparent	Railing length [mm]	619
Reversible door	Ye	Silent closing	Yes

Shower doors, recessed, 110 cm - hinged

Only the best materials, the quality of which has been confirmed by laboratory tests

Safe and durable tempered glass

Hydrophobic Active-Cover coating that makes it easier for water to run off the glass

Dedicated cleaning agent, safe for cleaned surfaces

Dedicated to Active Cover surfaces

Reversible door that allows the cabin to be mounted on the right or left side

The profile system makes it possible to reduce the curvature of the walls

Covering of assembly elements

Possibility to mount the bar to a perpendicular wall (bracket included)



Profiles leveling the curvature of the walls

The railings give the structure rigidity

Resistance to impacts, chemicals and stains in accordance with PN-EN 14428+A1:2008 norm, confirmed by tests of the Institute of Ceramics and Building Materials

Safe and durable tempered glass

Tempered glass has a harder surface and is more resistant to scratches, impacts and sudden temperature changes - in accordance with the European standard PN-EN. In addition, it is safe glass, {which is certified}by the Certificate from the Institute of Glass and Ceramics.




Hydrophobic Active-Cover coating that makes it easier for water to run off the glass

The glass in the cabins has been covered with the innovative Active Cover hydrophobic coating, which repels water molecules from the glass surface and thus significantly reduces the formation of scale. The coating is applied during the production of glass, which guarantees its long durability and reliability.

Dedicated cleaning agent, safe for cleaned surfaces

The use of dedicated agents means that the surfaces do not deteriorate and remain smooth for long, facilitating daily cleaning. A specially selected composition removes the most common dirt very effectively. On the other hand, the preparations are mild for a given type of surface (metal, granite, ceramics and others), without entering into chemical reactions with them. The preparations are biodegradable and thus harmless for the environment. With Deante cleaning products, keeping things in order will be very easy!





Covering of assembly elements

The covers hide the unsightly assembly elements, adding chic and elegance to the cabins.

Profiles leveling the curvature of the walls

The profile system makes it possible to level the curvature of the walls and helps to adjust the cabin to the place of installation.



The railings give the structure rigidity

The purpose of the railings is to strengthen and stabilize the construction of shower cabins. They are elegantly finished and easy to keep clean.